

Introducing **True Hole™** technology

Hypertherm's patent-pending True Hole cutting technology for mild steel produces significantly better hole quality than what has been previously possible using plasma. This is delivered automatically without operator intervention, to produce unmatched hole quality that surpasses the competition.

1/2" hole *without* True Hole technology
cut with HPRXD® Plasma



1/2" hole *with* True Hole technology
cut with HPRXD® Plasma



Cylindricity is a
measure of
hole quality



True Hole technology requires an HPRXD torch with PowerPierce™ technology, HPRXD Auto Gas, True Hole enabled CNC, True Hole enabled THC, and True Hole enabled nesting software.



Hypertherm®

Revolutionary plasma performance: True Hole™ cut quality

Hypertherm's True Hole cutting technology for mild steel is exclusively available for use on Hypertherm's HPRXD auto gas plasma systems and is automatically applied by our cutting optimization and nesting software and CNC software to holes up to 1" with hole diameter to thickness ratios as low as 1:1.

True Hole technology is a specific combination of the following parameters that is linked to a given amperage, material type, material thickness and hole size:

- Process gas type
- Gas flow
- Amperage
- Piercing methodology
- Lead in/out technique
- Cut speed
- Timing



Process coverage with True Hole technology

Standard consumable

	10 ga	3/16"	1/4"	3/8"	1/2"	5/8"	3/4"	7/8"	1"
30 A	X	X							
50 A	X	X	X						
80 A		X	X	X					
130 A			X	X	X				
200 A				X	X	X			
260 A					X	X	X	X	
400 A							X	X	X

Bevel consumable

	10 ga	3/16"	1/4"	3/8"	1/2"	5/8"	3/4"	7/8"	1"
80 A		X	X	X					
130 A			X	X	X				
260 A					X	X	X	X	
400 A							X	X	X

Hypertherm®

www.hypertherm.com

Hypertherm, HPR, PowerPierce, and True Hole are trademarks of Hypertherm, Inc., and may be registered in the United States and/or other countries.

© 9/09 Hypertherm, Inc. Revision 0
870820

True Hole performance is optimized through seamless integration of all of the components.